

ROCAL

FIRE PLACES



The height of fireplace design

ROCAL

The height of fireplace design

Innovation and style

If you have ever considered that there must be something with more innovation and more style than the conventional British fireplace opening, then this superb selection of designs from Rocal could add a new dimension to your thinking.

European leader

Rocal is one of Europe's leading manufacturers of contemporary fireplaces and has been at the forefront of the development of freestanding fireplaces for over 25 years. Now its wealth of design flair and expertise is available to you through the company's partnership with Stovax.

Wide choice of models

There are 10 Rocal fireplace models from which to choose. Each has its own special style, individually created to fulfil different design criteria from open grates to all-round glass and from installation in a corner to the centrepiece of a room.



Latest technology

Every fireplace is constructed from heavy gauge steel plate, expertly finished with a sophisticated, satin black lacquer that is heatproof to 600°C, and is supplied with matching, decorative flue pipe cover*. The solid fuel firebox itself is designed for burning wood, peat/turf and smokeless fuel. It incorporates a high quality, cast iron grate backed by, according to model, either cast iron panels or the latest thermally efficient firebricks to maximise the heat output from your fuel.

Gas fire convenience

As an option, the D-4 model is also available with a highly realistic, living flame gas log fire. So you can enjoy all the atmosphere of a 'real' fire but at the touch of a button – and without the need to cut wood, store logs or remove ash. Complete with our Command Remote Control System so you can adjust the flame height and heat from the comfort of your armchair!

Expert advice and installation

A glance through this brochure will show you there are sizes and versions to suit virtually every situation. Your Stovax retailer has the specialist expertise to help you choose the model that's right for your home.

All Rocal models have been tested to CE standards. Where heat outputs have been specified as 'maximum', please note that all these models can be burnt efficiently at half that output.

Furthermore, as some of the photographs shown in this brochure do not necessarily comply with UK Building Regulations, your retailer can advise you on correct installation as well as providing a full fitting service.

*Flue pipe/flue liner is NOT included but is available from your retailer.

The height of fireplace design

Expert Retailer Network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational; discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home.

These retailers will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Warranty

Your Rocal retailer will provide you with a Two Year Warranty for your new Rocal fire.

This warranty is subject to the appliance being installed in accordance with the manufacturer's instructions and the second year's warranty is dependant on the appliance being serviced within 12 months of installation by an appropriately qualified engineer. This warranty does not cover certain wearing parts or 'consumables' or the use of unauthorised fuels.

Full details of this warranty are set out on our website www.stovax.com and in our instruction manuals.





Aitana

One size only, with glass doors and side panels.

Maximum Heat Output: 14.5kW

Efficiency: 62%



Alba

Available in one size only, with glass doors.

Maximum Heat Output: 12.4kW Efficiency: 70.8%

Optional standard base plate.

FIRE PLACES



Barbara 90

Barbara

Available in two sizes.

NB: The Barbara 90 (shown above) has a single door whilst the Barbara 120 (shown on page 14) has two doors.

Maximum Heat Output: Barbara 90 - 15.8kW Efficiency: Barbara 90 - 80.3%

Maximum Heat Output: Barbara 120 - 18.1kW Efficiency: Barbara 120 - 66%



D-4

Available in two versions: solid fuel and gas log fire.

Maximum Heat Output: Solid fuel - 8.5kW Efficiency: 71%

The gas version is supplied as open fire only (i.e. without glass) and complete with Command remote control. Heat Output: 2.4kW.

FIRE PLACES



Estela

One size only, with glass doors.
Maximum Heat Output: 12.7kW
Efficiency: 71.3%



Dina

One size only, with glass doors.
Maximum Heat Output: 13.3kW
Efficiency: 65.3%

FIRE PLACES



Giselle 80

Giselle

Available in two sizes, with glass doors and side panels.

Maximum Heat Output: Giselle 80 - 16.4kW Efficiency: Giselle 80 - 72.4%

Maximum Heat Output: Giselle 100 - 17.1kW Efficiency: Giselle 100 - 73.4%

The Giselle 80 is shown above. The Giselle 100 is shown on page 19.



Gala

One size only, with glass door and panels.

Maximum Heat Output: 17.5kW

Efficiency: 81%

FIRE PLACES



D-5

One size only. Glass door can be lifted and stored to provide an open fire.

Maximum Heat Output: 9.5kW

Efficiency: 70%



Tessa

One size only, with glass door and side panels.

Maximum Heat Output: 13.0kW Efficiency: 71.9%

FIRE PLACES



Barbara 120

Barbara

Available in two sizes.

NB: The Barbara 120 (shown above) has two doors whilst the Barbara 90 (shown on page 6) has a single door.

Maximum Heat Output: Barbara 90 - 15.8kW Efficiency: Barbara 90 - 80.3%

Maximum Heat Output: Barbara 120 - 18.1kW Efficiency: Barbara 120 - 66%

ROCAL

Technical Specifications

Decorative flue covers

All freestanding Rocal Fireplaces are supplied complete with matching decorative flue cover but **not** the flue pipe. The length of the flue cover is shown as measurement C1 in the diagrams on the preceding pages. This can be cut to suit where a ceiling is lower but, if the ceiling is higher, you will require a longer length. Please ask your Stovax retailer for further information. Elbow flue cover sections (45°) are also available for all models except Aitana and D-4.

Ceiling plates

A flat ceiling plate with grille is supplied with each fireplace. Plates for sloping ceilings are available to special order and at a supplementary cost. Please inform your dealer of the degree and direction of slope.

Handles

All handles are Nickel plated. Black and brass handles are available to special order.

Insulation

Mineral wool may be required between the fireplace and the wall or walls against which it is installed. This is **not** included but your Stovax retailer will be able to supply it.

Correct installation

Installation must comply with Building Regulations relating to heat producing appliances (Approved Document J) and gas fires, where fitted, are also subject to the Gas Safety (Installation and Use) Regulations.

Inputs, outputs and flue size requirements for the gas log fires are as follows:

| | Input | Output | Flue size |
|-----|-------|--------|------------|
| D-4 | 12kW | 2.4kW | 178mm (7") |

Your Stovax retailer will be able to advise you on all aspects of installing either a solid fuel or gas-fired Rocal fireplace in your home.

Product improvement and guarantee

Rocal pursues a policy of constant product improvement. Products supplied may therefore differ in specification from those illustrated or described in this brochure.

All Rocal fireplaces are guaranteed for 2 years from the date of purchase. However, this is dependant on the appliance being serviced within 12 months of installation by an appropriately qualified engineer and specifically excludes 'wear and tear items' such as glass, firebricks and grates. The use of petrocake in a Rocal fireplace will invalidate its guarantee.



Care of your fireplace

To help you get the best performance from your fireplace and keep it in good condition, inside and out, Stovax produces a wide range of cleaning and maintenance products.

Your Stovax retailer will be able to give you full details of all Stovax accessories.



Other products offered by the Stovax Group...


Rocal is a member of the Stovax Group which manufactures and distributes a wide range of many other high quality stoves, cassettes and fireplace products. The complete range of product brochures from the Stovax family can be viewed and downloaded from our website at www.stovax.com



Rocal Fireplaces DIMENSIONS

Aitana

RX1150




| PRODUCT CODE | A | B | C | C1 | C2 | C3 | C4 | C5 | D | d | L | M | Approx Weight Kg |
|--------------|-----|-----|------|------|-----|-----|-----|----|-----|-----|-----|-----|------------------|
| RX1150 | 850 | 620 | 2851 | 1475 | 600 | 409 | 325 | 42 | 255 | 200 | 440 | 375 | 185 |

Barbara

RX1118
(Barbara 90)


RX1121
(Barbara 120)



| PRODUCT CODE | A | B | C | C1 | C2 | C3 | D | d | K | L | M | Approx Weight Kg |
|--------------|------|-----|------|------|------|----|-----|-----|-----|-----|-----|------------------|
| RX1118 | 900 | 620 | 2804 | 1403 | 1218 | 40 | 245 | 200 | 152 | 478 | 379 | 233 |
| RX1121 | 1200 | 700 | 2778 | 1210 | 1496 | 42 | 292 | 250 | 100 | 485 | 413 | 316 |

Alba


RX1076



| PRODUCT CODE | A | B | C | C1 | C2 | C3 | C4 | D | d | K | L | M | N | P | Approx Weight Kg |
|--------------|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|------------------|
| RX1076 | 600 | 440 | 2562 | 1590 | 910 | 110 | 400 | 224 | 175 | 100 | 415 | 310 | 180 | 22 | 119 with base |

Tessa

RX1235




| PRODUCT CODE | A | B | C | C1 | C2 | C3 | C4 | C5 | C6 | D | D1 | d | K | L | Approx Weight Kg |
|--------------|------|-----|------|------|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|------------------|
| RX1235 | 1000 | 601 | 2844 | 1404 | 449 | 431 | 120 | 257 | 40 | 273 | 506 | 200 | 152 | 469 | 193 |

Rocal Fireplaces DIMENSIONS

D-4


RX1156 - Woodburning
RG1156 - Gas



| PRODUCT CODE | A | A1 | A2 | B | b | C | C1 | D | d | K | L | Approx Weight Kg |
|--------------|-----|-----|-----|-----|----|------|-----|-----|-----|-----|-----|------------------|
| RX1156 | 800 | 500 | 560 | 515 | 25 | 2764 | 740 | 410 | 175 | 103 | 600 | 97 |
| RG1156 | 800 | 500 | 560 | 515 | 25 | 2764 | 740 | 410 | 175 | 103 | 600 | 97 |

Dina


RX1175



| PRODUCT CODE | A | B | C | C1 | C2 | C3 | D | d | K | L | M | Approx Weight Kg |
|--------------|-----|-----|------|------|------|----|-----|-----|-----|-----|-----|------------------|
| RX1175 | 860 | 540 | 2772 | 1380 | 1330 | 42 | 240 | 200 | 100 | 433 | 348 | 185 |

D-5

RX1255




| PRODUCT CODE | A | B | B1 | B2 | C | C1 | C2 | C3 | C4 | D | D1 | D2 | D3 | D4 | d |
|--------------|-----|-----|-----|-----|------|-----|------|----|----|------|-----|-----|-----|-----|-----|
| RX1255 | 574 | 310 | 150 | 437 | 2700 | 681 | 1943 | 10 | 84 | 2019 | 251 | 430 | 372 | 334 | 150 |

| E | E1 | E2 | E3 | F | G | H | Approx Weight Kg |
|-----|-----|-----|-----|-----|-----|-----|------------------|
| 200 | 210 | 247 | 240 | 464 | 670 | 550 | 124 |

Estela

RX1043




| PRODUCT CODE | A | B | B1 | C | C1 | C2 | C3 | D | d | K | L | Approx Weight Kg |
|--------------|------|-----|-----|------|------|------|----|-----|-----|-----|-----|------------------|
| RX1043 | 1164 | 771 | 824 | 2761 | 1315 | 1342 | 42 | 264 | 200 | 100 | 360 | 204 |

Rocal Fireplaces DIMENSIONS

Gala

RX1222



| PRODUCT CODE | A | A1 | C | C1 | C2 | C3 | C4 | C5 | C6 | D | d | K | L | Approx Weight Kg |
|--------------|------|------|------|------|-----|-----|-----|-----|----|-----|-----|-----|-----|------------------|
| RX1222 | 1100 | 1100 | 2876 | 1480 | 491 | 450 | 100 | 251 | 14 | 286 | 200 | 100 | 421 | 297 |


Giselle

RX1270

(Giselle 80)

RX1275

(Giselle 100)



| PRODUCT CODE | A | B | C | C1 | C2 | C3 | C4 | D | d | K | L | Approx Weight Kg |
|--------------|------|------|------|----|-----|-----|------|-----|-----|-----|-----|------------------|
| RX1270 | 800 | 800 | 2865 | 27 | 386 | 423 | 1665 | 221 | 175 | 202 | 449 | 172 |
| RX1275 | 1000 | 1000 | 3019 | 27 | 430 | 469 | 1665 | 246 | 200 | 202 | 474 | 250 |

All fire and flame photography has been taken from genuine products; however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features and the way in which the appliance is operated.

Please note: The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Stovax gratefully acknowledges the assistance of the following companies with photographic settings for Alba and D-4:
Habitat - Furnishings and Ornaments; The Orange Tree - Furnishings and Ornaments; Original Style - Tiles; Present Time - Ornaments.



Giselle 100

Giselle

Available in two sizes, with glass doors and side panels.

Maximum Heat Output: Giselle 80 - 16.4kW Efficiency: Giselle 80 - 72.4%

Maximum Heat Output: Giselle 100 - 17.1kW Efficiency: Giselle 100 - 73.4%

The Giselle 100 is shown above. The Giselle 80 is shown on page 10.

FIRE PLACES



ROCAL

FIRE PLACES

The height of fireplace design

Distributed by:

£2.00



UK and Republic of Ireland Distributors for Rocal Fireplaces

Stovax Limited

Falcon Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7LF

Solid Fuel Trade Sales: 01392 474000 Other depts: 01392 474011

Gas Trade Sales (Gazco Ltd): 01392 261900

Republic of Ireland Sales: 00 44 1392 261990

Fax: 01392 219932 Email: rocal@stovax.com

www.stovax.com

Paper sourced from sustainable forests and printed using vegetable based inks