

Geoman

A NATURAL WARMTH



*Traditional and Contemporary
Gas and Electric Stoves and Fires*



From its humble origins over 25 years ago on a farm near Dartmoor, renowned for its cold winters, Yeoman has grown to become one of the UK's leading stove and fireplace manufacturers. Today, Yeoman offers an increasingly diverse range of technically advanced gas and electric stoves and fires in both traditional and contemporary designs alongside the broad selection of solid fuel products with which we started the journey.

A Natural Warmth...

Gas Fires and Stoves

Inset Gas Fires 06 - 13

An Inset fire offers the impact of a freestanding stove with the benefit of saving space in the room. Featuring either a traditional or a more contemporary front, each fire in the Inset range has a highly realistic fuel effect and in the case of the CL530 & CL 670, a stunning glowing ember feature!

Traditional Gas Stoves 14 - 23

When you want to combine the allure of a log or coal fire with the appeal of an instantly controllable source of heat, Yeoman offers a range of expertly crafted traditionally styled gas stoves that can offer you instant warmth at the flick of a switch. What's more, opt for a programmable remote control and your stove can be set to automatically turn on or off at times that suit your lifestyle!

Double-Sided Stoves 24 - 25

For a truly impressive centre-piece, the Devon double-sided gas stove brings two rooms together. Providing plenty of ambient warmth, the stove is sure to be a natural gathering point for friends and family. Choose from a number of styling options including four colour finishes to complement your home's decor.

CL Gas Stoves 26 - 31

With its subtle curving form, CL Gas stoves offer a stylish contemporary look with the inviting atmosphere of a log fire. Also benefitting from the latest remote control system that allows complete control from the comfort of your sofa.

Electric Stoves

Traditional Electric Stoves 32 - 35

Incorporating our unique VeriFlame™ technology, the Yeoman Electric models boast a choice of glow & flame effects, individually hand-painted logs and full remote control. With superior realism and up to 2kW of heat output, a Yeoman Electric stove will always be a pleasure to come home to.

CL Electric Stoves 36 - 39

CL Electric stoves have the same cast iron construction and stylish curving form as their gas equivalents but are suitable for virtually any room in the home. Offered in two sizes, a CL Electric stove offers fantastic flame visuals with or without the heat, all from the press of a button on the remote control.



Image left: CL8 Gas

Yeoman Gas and Electric Stoves and Fires



Exe Gas with flat top



Gas Stoves

All Yeoman gas stoves are available with natural gas or LPG and, depending on model, feature a highly realistic coal or log effect fire. Most of these highly efficient stoves are available as manual operation and have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic & timer controls. The CL Gas stoves feature Yeoman's thermostatic remote control which is a fully programmable sequential remote that allows full control of your stove from ignition to extinguish.



range is available with a remote control handset. The modern traditional styling of the CL Inset gives you a choice of linings, each complementing the highly realistic log fuel effect while the Dartmouth's traditional front comes with a highly realistic coal fuel effect and smart Black Reeded lining.

Electric Stoves

A Yeoman can be as easy to install as plugging in and switching on! Featuring our unique VeriFlame™ technology with low energy LED illumination and hand painted fuel bed. With the heater discreetly located underneath, the remote control allows you to adjust the heat between off, 1kW and 2kW in addition to the VeriFlame™ effects.



Inset Gas Fires

Available with either natural gas or LPG and for a conventional or balanced flue installation, Yeoman's range of Inset gas fires offers outstanding efficiency rates. Designed to be hearth mounted for a traditional fireplace aesthetic, each model in the


Selecting your Stove or Fire

Before you choose your new stove or fire you will need to know what type of chimney (if you have one) or flue you have. Please turn to page 40 to identify your chimney type.

A Wealth of Styling Options...

Styling options

The look of your stove is very important. That is why Yeoman offers you the opportunity to personalise your stove with a variety of styling options. According to model, these include flat top and high or low canopies, panoramic single doors, double doors with removable window crosses, brass handles and for the new CL Inset gas fires a choice of linings.












**All fires shown with this symbol boast the advantage of not normally requiring an air vent
^A where the air permeability is greater than 5.0m³/hr/m². Ventilation normally required is 550mm². Please discuss in full with your local retailer. ^ARequirements in the Republic of Ireland are different.*

Colour options

Colour is another option, with a choice of 4 paint finishes available for most stoves: Matt Black, Metallic Blue, Metallic Brown or Metallic Green. CL Stoves & Fires are finished in Jet Black Metallic[†].



Key to symbols			Vent not normally required*
	Flat Top		Maximum Heat Output
	Low Canopy		Conventional Flue
	High Canopy		Balanced Flue
	Max. Efficiency - Gas		Max. Efficiency - Electric

Yeoman Extended Warranty

Your Yeoman Expert Retailer will provide you with a Five Year Extended Warranty for your new gas stove or fire and a Two Year Extended Warranty for your new electric stove providing your stove or fire is registered with Yeoman. Please note, these warranties exclude certain consumable parts. Stoves and fires purchased outside of Yeoman's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at www.yeomanstoves.co.uk.



Expert Retailer Network

To help you select the right stove or fire for your home, you will find our useful reference symbols throughout the brochure. However, your Yeoman retailer will be pleased to provide any further information and advice you may require. We take great care to ensure that our stoves & fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will enable you to see a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home.

They will also be able to advise on or assist with the installation process as well as help provide any after sales support and servicing your appliance may require in the future. Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Furthermore, Yeoman fires & stoves purchased from within our Expert Retailer Network will have the additional benefit of a greatly extended warranty period, subject to terms & conditions. Full details can be found at www.yeomanstoves.co.uk.

Inset Gas Fires

All fires in our Inset gas range offer efficient and effective heat to create welcoming warmth to combat the long cold winters. A space saving option for the room, an Inset fire offers a stylish solution for smaller homes as well as a straight forward installation even if you don't have a chimney! The CL Inset fires also come with a selection of lining options to further personalise your fire to your home.

CL 530 & 670 Inset



CL 530 Inset



CL 670 Inset

Designed for hearth mounted installations, the new CL Inset gas fires feature a cast iron front beautifully crafted into smooth, curved lines to give a sophisticated modern-traditional style that is at home in a number of interiors. Available for both conventional or balanced flue installations, the CL Inset has an output of up to 5.6kW and an efficiency of up to 84%. The highly realistic log fuel bed is complemented by an enticing glowing ember feature and a choice of three striking and distinctive lining options as shown below.

Lining Options

Our CL Inset gas fires come with a choice of three smart lining options, each offering an entirely different aesthetic that will not only complement the enticing flames and glowing ember effect but enable you to tailor your fire to your very own interior decor. Choose from warming Vermiculite with its smooth, light coloured surfaces; the classic style of the striking Black Reeded or the timeless Brick Effect lining, reminiscent of traditional fireplace inglenooks.



Vermiculite Lining



Black Reeded Lining



Brick Effect Lining

State of the Art Remote Control



Supplied as standard with your CL 530 or 670, the multi-function Thermostatic remote control allows you to control all functions of your fire from ignition, through all the settings available to extinguish. The Thermostatic remote facilitates a number of programming options so you can set a daily or weekly schedule or instruct your fire to maintain your preferred room temperature, all from the comfort of your sofa! You may decide to set your fire to come on before you wake up in the morning or return home in the evening to ensure a welcoming and warm home exactly when you need it.

Ease of Installation

The new CL Inset is compatible with our optional linerless flue kit. The kit comprises a specifically designed terminal and a short piece of flexible, stainless steel flue pipe and has been specifically created to be slotted into your masonry chimney in place of a full liner. This reduces the need for building work and any associated labour, facilitating a simpler and more cost effective installation.



CL 530 Inset with Brick-effect lining

Dartmouth Inset

With a look that takes inspiration from our traditional, solid fuel stove aesthetic, the Dartmouth has a cast iron front complete with rose motif. The Dartmouth is a truly advanced fire with up to 89% high efficiency and the convenience of either manual or remote control operation allowing you to enjoy the functions of your fire from the comfort of your sofa. Available with a coal effect fuel bed and Black Reeded lining, the flames provide an enticing view and give instant, effective warmth for your home.



CL 530

Inset Gas Fires



With portrait dimensions, the CL 530 Inset is a stylish gas fire offering a versatile aesthetic that will blend effortlessly into interiors both traditional and contemporary. The subtly curving front is beautifully crafted from cast iron into a sophisticated design. Available with a choice of three linings, Vermiculite, Black Reeded and Brick Effect, the CL 530 has a hand painted log effect fuel bed complete with glowing ember effect. A stunning flame picture completes the look and provides convenient, effective heat and a highly efficient output that can be fully controlled from the comfort of your sofa with the Thermostatic remote control handset.



CL 530 Inset with Vermiculite lining

- Conventional and balanced flue options
- Realistic log effect
- Radiant heat to quickly warm up your room
- Thermostatic remote control
- Variable heat output 2.9 - 5.5kW
- Up to 82% efficient
- Top flue (balanced) - 153mm (6")
(conventional) - 127mm (5")
- Natural gas or LPG
- Choice of three distinctive linings
- Beautifully crafted from cast iron

		(kW)		Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
CL 530 Inset		5.1kW*	75%	NG	6.8kW	20mb	Log
CL 530 Inset		5.1kW*	75%	LPG	6.8kW	37mb	Log
CL 530 Inset		5.4kW*	82%	NG	6.6kW	20mb	Log
CL 530 Inset		5.5kW*	82%	LPG	6.7kW	37mb	Log



Remote Control

HIGH EFFICIENCY
UP TO 82%



Jet Black Metallic



* Output for guidance only and is dependent on gas type and flue variation



CL 530 Inset with Black Reeded lining

CL 530 Inset - ultimate realism and efficiency



CL 670 Inset with Brick-effect lining

CL 670 Inset - at home in both traditional and modern settings

CL 670

Inset Gas Fires



The CL 670 Inset is a landscape fire with a gently curving form that elegantly bridges the traditional and the contemporary with its sophisticated timeless style. The high efficiency, glass fronted fire can be operated with ease from the Thermostatic Remote Control. The CL 670 may be programmed to a daily or weekly schedule as well as set to achieve a room temperature of your choosing so you can make the very most of your fire and tailor it to your lifestyle. Choose from a selection of striking lining options and enjoy the warmth and stunning flames.



CL 670 Inset with Vermiculite lining

- Conventional and balanced flue options
- Realistic log effect
- Radiant heat to quickly warm up your room
- Thermostatic remote control
- Variable heat output 2.9 - 5.6kW
- Up to 82% efficient
- Top flue (balanced) - 153mm (6") (conventional) - 127mm (5")
- Natural gas or LPG
- Choice of three distinctive linings
- Beautifully crafted from cast iron

		(kW)		Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
CL 670 Inset		5.1kW*	75%	NG	6.8kW	20mb	Log
CL 670 Inset		5.0kW*	75%	LPG	6.7kW	37mb	Log
CL 670 Inset		5.5kW*	82%	NG	6.7kW	20mb	Log
CL 670 Inset		5.6kW*	82%	LPG	6.8kW	37mb	Log



Remote Control

HIGH EFFICIENCY
UP TO 82%



Jet Black Metallic



* Output for guidance only and is dependent on gas type and flue variation










Dartmouth Inset

Gas Fires

Offering the familiar 'family look' of the Yeoman traditional stoves range and the latest high-efficiency heating, the Dartmouth is an inset convector gas fire that very much blends traditional appeal with modern convenience. At its heart is the latest high efficiency gas combustion system that has been specially developed to combine the exceptional heat output with much improved fuel economy (gas consumption is lower so saving you money). In fact, the conventional flue version is an outstanding 89% efficient.



- Manual or remote control options
- Conventional and balanced flue options
- Highly realistic coal effect fire
- Convected and radiant heat to quickly warm your room
- Variable heat output 2.1 - 4.5kW
- Up to 89% efficient
- Flue - conventional flue class 1 or 2 127mm (5"); balanced flue 153mm (6")
- Natural gas or LPG
- Virtually invisible glass front
- Fits into standard 410 x 560 x 250mm (w x h x d) fireplace opening
- Slimmer depth of Balanced Flue fire allows installation into inner wall of home without the need of a false chimney breast.

		(kW)		Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Dartmouth Inset Gas	 	4.54kW*	89%	NG	5.10kW	20mb	Coal
Dartmouth Inset Gas	 	4.27kW*	89%	LPG	4.80kW	37mb	Coal
Dartmouth Inset Gas	 	3.45kW*	86%	NG	4.00kW	20mb	Coal
Dartmouth Inset Gas	 	3.45kW*	86%	LPG	4.00kW	37mb	Coal

* Output for guidance only and is dependent on gas type and flue variation



Optional Remote Control

HIGH EFFICIENCY UP TO 89% 



Black





Dartmouth Inset Gas - with high efficiency technology

Exmoor

Gas Stoves



This popular model combines traditional charm with modern technology to bring you a gas stove that can be installed into almost any room - even one that does not have a chimney. Further, its highly realistic fire provides up to 2.6kW of adjustable heat, whether you opt for manual or remote controls, so it's ideal to take the chill away from those long winter days and nights.



Exmoor Gas with low canopy

- Conventional and balanced flue log effects
- Radiant heat to quickly warm your room
- Highly realistic log-effect fire
- Remote control options
- Variable heat output 1.5 – 2.6kW
- Up to 80% efficient
- Optional brass handle
- Top or rear flue (conventional class 1 or 2) - 128mm (5") Rear flue only (balanced) - 153mm (6")
- Natural gas or LPG
- Electric model also available, see pages 32 - 33
- Woodburning & multi-fuel models also available (see separate brochure)

Remote Options



Left: Standard
Right: Programmable

HIGH EFFICIENCY
UP TO 80%



Available Colour Options



Blue Brown Black Green



					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect		
Exmoor Gas			✓	✓	2.6kW*	75%	NG	3.40kW	20mb	Log
Exmoor Gas			✓	✓	2.4kW*	75%	LPG	3.20kW	37mb	Log
Exmoor Gas (Rear flue only)			✓	✓	2.6kW*	80%	NG	3.20kW	20mb	Log
Exmoor Gas (Rear flue only)			✓	✓	2.6kW*	80%	LPG	3.20kW	37mb	Log

* Output for guidance only and is dependent on gas type and flue variation



Exmoor Gas with flat top

Exmoor Gas - a small stove with big appeal

Exe

Gas Stoves















With highly realistic log fire effect and glowing embers, the medium sized Exe will become an inviting centrepiece in your living room. Traditionally styled but with the versatility to feature in the most contemporary of homes, the single door Exe combines time honoured design and craftsmanship with ultra-modern heating convenience and efficiency.



Exe Gas with flat top

- Conventional and balanced flue options
- Radiant heat to quickly warm your room
- Highly realistic log-effect fire
- Remote control options
- Variable heat output 1.9 – 3.5kW
- Up to 81% efficient
- Optional brass handle
- Low canopy version available
- Natural gas or LPG
- Top or rear flue (conventional class 1 or 2) - 128mm (5") (balanced) - 153mm (6")
- Woodburning & multi-fuel models also available (see separate brochure)

					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Exe Gas  	✓	✓	3.4kW*	75%	NG	4.55kW	20mb	Log
Exe Gas  	✓	✓	3.3kW*	75%	LPG	4.35kW	37mb	Log
Exe Gas  	✓	✓	3.5kW*	81%	NG	4.3kW	20mb	Log
Exe Gas  	✓	✓	3.5kW*	81%	LPG	4.3kW	37mb	Log

* Output for guidance only and is dependent on gas type and flue variation

Remote Options



Left: Standard
Right: Programmable



Available Colour Options





Exe Gas with low canopy

Exe Gas - Compact and versatile

Exminster

Gas Stoves



With a comprehensive choice of styling options the Exminster Gas makes an impressive focal point in any type of room from a traditional cottage to a newly-built, contemporary home. It also comes with a choice of highly realistic log or coal-effect fires and the option of manual or remote controls.



Exminster Gas Double Door with coal-effect, flat top and optional brass handles with Tudor Rose door crosses removed

- Conventional flue
- Realistic coal and log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.5 – 4.5kW
- 73% efficient
- Flat top, low & high canopy options
- Optional brass handles
- Single or double doors
- Removable Tudor Rose door crosses**
- Optional plain air spinners^Δ
- Top or rear flue (class 1 or class 2) - 128mm (5")
- Natural gas or LPG

** Double door only Δ Single door only

Remote Options



Left: Standard
Right: Programmable

Available Colour Options



Exminster											
Exminster											

* Output for guidance only and is dependent on gas type and flue variation



Exminster Gas Double Door with log-effect and high canopy

Exminster Gas - convenient and efficient



Devon Gas Double Door with flat top

Devon Gas - superb heating performance

Devon

Gas Stoves



Offering you superb heating performance and an authentic real fire look, with glowing coals and dancing flames, the Devon comes with the optional convenience of a remote control. As a balanced flue model, there is not even a need for a chimney.



Devon Gas Double Door with high canopy and Tudor Rose door crosses removed

- Balanced flue
- Realistic coal effect
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 1.5 – 5.6kW
- 80% efficient
- Optional brass handles
- Single or double doors
- Removable Tudor Rose door crosses**
- Optional plain air spinners[◇]
- Top or rear flue - 153mm (6")
- Natural gas or LPG
- Woodburning & multi-fuel models also available (see separate brochure)

** Double door only ◇ Single door only

Remote Options



Left: Standard
Right: Programmable



						Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Devon	✓	×	✓	5.6kW*	80%	NG	7.0kW	20mb	Coal
Devon	✓	×	✓	4.8kW*	80%	LPG	6.0kW	37mb	Coal

* Output for guidance only and is dependent on gas type and flue variation

Available Colour Options



Blue Brown Black Green



Dartmoor

Gas Stoves



Yeoman's Dartmoor gas stove not only offers you even more choice but also features a highly realistic log effect. Just as importantly, it is a highly efficient room heater with up to 5.3kW of comfort available at the turn of a switch. Furthermore, the Dartmoor is available in both conventional flue and balanced flue versions with a wide choice of styling options to help you tailor it to your home's interior, including the option of a high canopy.



Dartmoor Gas Single Door with flat top

- Conventional and balanced flue log effects
- Radiant heat to quickly warm your room
- Remote control options
- Variable heat output 2.5 – 5.3kW
- Up to 82% efficient
- Single or double doors
- Optional brass handle^o
- Removable Tudor Rose door crosses**
- Top or rear flue - conventional flue class 1 or 2 128mm (5"); balanced flue 153mm (6") (top exit requires decorative flue collar)
- Natural gas or LPG
- Electric version also available, see pages 34 - 35

** Double door only ^o Single door only

Remote Options



Left: Standard
Right: Programmable

HIGH EFFICIENCY UP TO 82%



				(kW)		Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
Dartmoor ^{CF}	✓	×	✓	5.3kW*	80%	NG	6.60kW	20mb	Log
Dartmoor ^{CF}	✓	×	✓	5.1kW*	80%	LPG	6.40kW	37mb	Log
Dartmoor ^{BF}	✓	×	✓	5.3kW*	82%	NG	6.45kW	20mb	Log
Dartmoor ^{BF}	✓	×	✓	4.9kW*	82%	LPG	6.00kW	37mb	Log

* Output for guidance only and is dependent on gas type and flue variation

Available Colour Options





Dartmoor Gas Double Door with flat top
and removable Tudor Rose door crosses

Dartmoor Gas - outstanding log effect for increased realism



Devon Double-Sided - the warming heart of your home

Double-Sided

Devon Gas Stove

For a truly enticing focal point in your home, the Devon is a double-sided gas stove that offers a practical solution to heating a large open plan space effectively or two rooms at once. Made from traditional cast iron that allows heat to be diffused slowly and steadily, the Devon double-sided has a realistic log fuel effect for the ultimate traditional stove ambiance. The flames may be controlled with your choice of Standard or Programmable remote handset, allowing you to ignite, vary the flame height and extinguish your fire from the comfort of an armchair. The Programmable remote control has additional features that enable you to set a daily or weekly programme to suit your lifestyle.




- Conventional top flue - 128mm (5")
- Highly realistic log effect fire
- Variable heat output
- Up to 72% efficient
- Optional remote controls
- Natural gas or LPG
- Removable Tudor Rose door crosses
- Optional brass handles
- High Canopy
- Single or double door options
- Woodburning & multi-fuel models also available (see separate brochure)

Remote Options



Left: Standard
Right: Programmable

Available Colour Options



						Gas Type	Nominal Gas Input	Supply Pressure
Devon Double Sided	×	×	✓	5.0kW**	72%	NG	6.9kW	20mb
Devon Double Sided	×	×	✓	5.0kW**	72%	LPG	6.9kW	37mb

** Output for guidance only and is dependent on gas type and flue variation



CL3 Gas - highly realistic log effect

CL3














Gas Stoves



The CL3 is the smallest of the contemporary gas stoves from Yeoman. Despite its compact dimensions, underneath the smooth, modern lines of the CL3 lies a powerful, high efficiency stove with a highly realistic log effect fuel bed and a state of the art Thermostatic remote control system. Fully programmable, the remote allows the CL3 to be set to automatically switch on or off and change temperature according to your exact requirements.



- Conventional and balanced flue options
- Highly realistic log effect
- Radiant heat to quickly warm up your room
- Thermostatic remote control
- Variable heat output 1.5 - 2.7kW
- Up to 81% efficient
- Integral raised plinth and curved top plate
- Top or rear flue (conventional) - 127mm (5")
Rear flue only (balanced) - 153mm (6")
- Natural gas or LPG
- Electric model also available see pages 36 - 37
- Multi-fuel model also available (see separate brochure)

						Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect
CL3 Gas			✓	2.6kW*	75%	NG	3.4kW	20mb	Log
CL3 Gas			✓	2.4kW*	75%	LPG	3.2kW	37mb	Log
CL3 Gas (Rear flue only)			✓	2.6kW*	81%	NG	3.2kW	20mb	Log
CL3 Gas (Rear flue only)			✓	2.6kW*	81%	LPG	3.2kW	37mb	Log

* Output for guidance only and is dependent on gas type and flue variation



Remote Control

HIGH EFFICIENCY
UP TO 81%



Jet Black Metallic



CL5


















Gas Stoves



The CL5 has a highly realistic log effect fuel bed and superb flame picture to create the same inviting warmth as a woodburning stove, but with all the convenient features of gas. All of this is controlled by a thermostatic remote control which allows you to provide your home with the perfect amount of heat, exactly when you want it to. With a subtle curving door and complementary curved top plate, a CL gas stove can offer a stylish centrepiece for homes both modern and traditional alike.



- Conventional and balanced flue options
- Highly realistic log effect
- Radiant heat to quickly warm up your room
- Thermostatic remote control
- Variable heat output 1.9 - 3.5kW
- Up to 81% efficient
- Integral raised plinth and curved top plate
- Top or rear flue (balanced) - 153mm (6") (conventional) - 127mm (5")
- Natural gas or LPG
- Electric versions also available see pages 38 - 39
- Woodburning & multi-fuel models also available (see separate brochure)

						Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect	
CL5				✓	3.4kW*	75%	NG	4.55kW	20mb	Log
CL5				✓	3.3kW*	75%	LPG	4.35kW	37mb	Log
CL5				✓	3.5kW*	81%	NG	4.30kW	20mb	Log
CL5				✓	3.5kW*	81%	LPG	4.30kW	37mb	Log

* Output for guidance only and is dependent on gas type and flue variation



Remote Control

HIGH EFFICIENCY
UP TO 81%



Jet Black Metallic





CL5 Gas - with high efficiency technology

CL8












Gas Stoves



The largest in our family of CL gas stoves, the CL8 has the same gently curving lines, Thermostatic remote control and sophisticated stainless steel features as its smaller counterparts but with a heat output of up to 5.5kW, the CL8 is capable of providing ambient heat to larger rooms for the whole family to enjoy. With hand painted logs and an enticing glowing ember effect, the CL8's inviting flame picture is extended by the mirror-like qualities of the sides of the stainless steel fire lining, creating a bright and mesmerizing effect around which friends and family are sure to gather.



- Conventional and balanced flue options
- Highly realistic log effect
- Radiant heat to quickly warm up your room
- Remote control options
- Variable heat output 2.78 - 5.54kW
- Up to 84% efficient
- Integral raised plinth and curved top plate
- Top or rear flue (balanced) - 153mm (6") (conventional) - 127mm (5")
- Natural gas or LPG
- Stainless steel side lining panels
- Woodburning & multi-fuel models also available (see separate brochure)

					Gas Type	Nominal Gas Input	Supply Pressure	Fire Effect	
CL8			✓	4.95kW	75%	NG	6.6kW	20mb	Log
CL8			✓	5.03kW	75%	LPG	6.7kW	37mb	Log
CL8			✓	5.54kW	84%	NG	6.6kW	20mb	Log
CL8			✓	5.54kW	84%	LPG	6.6kW	37mb	Log

* Output for guidance only and is dependent on gas type and flue variation



Remote Control

HIGH EFFICIENCY
UP TO 84%



Jet Black Metallic





CL8 Gas - an outstanding focal point to your living space



Exmoor Electric - complete operation by remote control

Exmoor

Electric Stove



Available in traditional Matt Black, the ever popular Exmoor stove perfectly combines the classic good looks of a woodburner with the ease of an Electric stove. At its heart is the unique VeriFlame™ technology which allows you to choose from 3 brightness levels and blue or orange flame setting to match your mood exactly – and everything is operated from the remote control to save you kneeling down! Furthermore, you can select fire effect only; fire effect + 1kW heat; and fire effect + 2kW heat according to your heating needs.



- Realistic hand-painted log effect
- VeriFlame™ technology
- Flame visuals can be enjoyed without the heat
- Low energy LED illumination
- Remote control
- Optional brass handle
- Thermostatic option
- 99% Efficient
- 13 amp socket needed
- Heat output 1.0 - 2.0kW
- No flue, chimney or air vent required
- Gas versions also available, see pages 14-15
- Woodburning & multi-fuel models also available (see separate brochure)

			
Exmoor Electric 	✓	2.0kW	99%



Remote control

HIGH EFFICIENCY
UP TO 99%



Matt Black



Dartmoor

Electric Stove



Using the same cast iron door and heavy gauge steel body as the Gas Dartmoor's, the electric versions are brought alive with VeriFlame™ technology. This means you will enjoy a choice of flame and glow effects from a remarkably authentic log-effect fire that creates a superb focal point in your room. All this and a choice of single or double doors to suit your exact styling requirements!

The heater is discreetly located under the stove but, as all functions can be operated from the complementary remote control; there is no stooping or crouching. In fact you can alter the VeriFlame™ effect or adjust the heat output whilst relaxing in your favourite chair!



Dartmoor Electric Single Door

- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- Remote control
- Single or double doors
- Flame visuals can be enjoyed without the heat
- Removable Tudor rose door crosses**
- Optional brass handle[∅]
- 13 amp socket needed
- Thermostatic option
- 99% Efficient
- Heat output 1.0 - 2.0kW
- No flue, chimney or air vent required
- Gas version also available, see page 22 - 23

** Double door only
[∅] Single door only

			
Dartmoor Electric		✓	2.0kW 99%



Remote control

HIGH EFFICIENCY
 UP TO 99%



Matt Black





Dartmoor Electric - authentic log effect for ultimate realism



CL3 Electric - neat and compact for the smaller room

CL3

Electric Stove



A wonderful solution for areas that require additional warmth during the colder weather, the smooth, curved lines of the CL3 Electric stove can be enjoyed in all rooms including conservatories, hallways and study's. The CL3 has two heat settings 1kW and 2kW and provides instant warmth exactly when you need it. You can even enjoy the enticing flame visuals without the heat! Finished in Jet Black Metallic and with subtle stainless steel detailing, the CL3 exudes style and functionality in equal measure.



CL3 Electric
on Stovax Riva 45 High Bench

- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- 3 Brightness levels with blue boost setting
- Flame visuals can be enjoyed without the heat
- Remote control
- Integral cast iron top plate
- 13 amp socket needed
- Thermostatic option
- 99% Efficient
- Heat output 1.0 - 2.0kW
- No flue, chimney or air vent required
- Gas versions also available, see pages 26 - 27
- Woodburning & multi-fuel models also available (see separate brochure)

CL3 Electric		2.0kW	99%



Remote control

HIGH EFFICIENCY
UP TO 99%



Jet Black Metallic



CL5

Electric Stove



Currently the largest in its range, the CL5 Electric has the versatility to be placed virtually anywhere in the home. With a smart exterior and alluring internal visuals, this sophisticated electric stove combines the very best in comfort, convenience and style. Complete with Veriflame™ technology, the enticing flame effect and realistic hand painted fuel bed can be enjoyed with or without the heat output of up to 2kW.

As with its smaller CL3 counterpart, each flame brightness level of the CL5 may be operated from the easy to use remote control. The stove is finished in Jet Black Metallic with an integral cast iron top plate and subtle detailing including a stainless steel handle that lends itself to a number of interiors, both traditional and contemporary.



- Realistic hand-painted log effect
- VeriFlame™ technology
- Low energy LED illumination
- 3 Brightness levels with blue boost setting
- Flame visuals can be enjoyed without the heat
- Remote control
- Integral cast iron top plate
- 13 amp socket needed
- Thermostatic option
- 99% Efficient
- Heat output 1.0 - 2.0kW
- No flue, chimney or air vent required
- Gas versions also available, see pages 28 - 29
- Woodburning & multi-fuel models also available (see separate brochure)

			
CL5 Electric		2.0kW	99%



Remote control

HIGH EFFICIENCY
UP TO 99%



Jet Black Metallic





CL5 Electric - perfect for bedrooms, study's, conservatories and hallways!

Your Home & Flue Requirements

The type of chimney or flue you have usually dictates your choice of stove. To help you understand which stoves are suitable for your home, please use the information and pictures shown opposite to identify your chimney. Don't worry, if you don't have a chimney though, you can still find the perfect stove for your home. Once you have identified your chimney (or confirmed you do not have one), take note of the symbol that represents this, as this has been used throughout the brochure to represent the stoves that are suitable for installation in your home.

Conventional Flue

Conventional flue systems are easily recognisable as either a conventional brick or stone chimney, pre-fabricated or pre-cast chimney system. Should your home have none of these at present, it is usually possible to have a pre-fabricated system installed in your home if required.



Brick or Stone Chimney
(Class 1)

The chimney stack rises well above the roofline and is topped by a traditional chimney pot or gas terminal. This type of chimney relies on the natural circulation of heated air to expel the products of combustion up your chimney.



Pre-Fabricated Flues
(Class 1 & 2)

You will see a metal flue cowl on your roof. Some are all metal whilst others may terminate through a short rectangular pot (but without a chimney stack). These flues create the same circulation of heated air as a brick or stone chimney.



Pre-Cast flues
(Class 2)

Many modern homes have been built with such flues. You can readily identify them by either a metal flue cowl or a raised ridge terminal on your roof. Again, the natural circulation of heated air expels the products of combustion. This option is only available on the small stoves.

Balanced Flue

With Balanced Flue installations the appliance is completely sealed from the room into which it is installed (so there are no draughts and heating efficiency is increased) and a twin-wall pipe vents directly to an outside wall.



Balanced Flue
(No chimney required)

Air for combustion is drawn in through the outer pipe whilst the inner pipe removes the combustion gases to the exterior of the property. Depending on the stove selected, the twin-walled pipe may exit horizontally through an external wall or vertically through the roof. Gazco offers a comprehensive range of balanced flue components. Please refer to Gazco's dedicated Concentric Flue System brochure which can be requested from your retailer or viewed online at www.gazco.com.



Electric Stoves
(No chimney required)

Yeoman produce an selection of electric Exmoor, Dartmoor, CL3 & CL5 stoves which do not, of course, require a chimney or flue of any kind.

No Air Vent required (UK)



All fires and stoves shown with this symbol, boast the advantage of not normally requiring an air vent* where the air permeability is greater than 5.0m³/hr/m². Please discuss this in full with your local Yeoman retailer.

**Requirements in the Republic Of Ireland are different.*

This above information is to assist in your choice of a suitable Yeoman stove or fire. This is not intended to be all the information required to install your appliance. Further information can be obtained from your local Yeoman retailer or you can download full installation instructions from the Yeoman website at www.yeomanstoves.co.uk.

Technical Information


INSET GAS FIRES

CL 530 INSET - conventional & balanced flue - Thermostatic remote control

YM189-253	Conventional Flue. Natural Gas, Black Reeded Lining, Thermostatic control
YM189-496	Conventional Flue. LPG, Black Reeded Lining, Thermostatic control
YM189-030	Conventional Flue. Natural Gas, Vermiculite Lining, Thermostatic control
YM189-405	Conventional Flue. LPG, Vermiculite Lining, Thermostatic control
YM189-098	Conventional Flue. Natural Gas, Brick Effect Lining, Thermostatic control
YM189-437	Conventional Flue. LPG, Brick Effect Lining, Thermostatic control
YM189-286	Balanced Flue. Natural Gas, Black Reeded Lining, Thermostatic control
YM189-478	Balanced Flue. LPG, Black Reeded Lining, Thermostatic control
YM189-076	Balanced Flue. Natural Gas, Vermiculite Lining, Thermostatic control
YM189-414	Balanced Flue. LPG, Vermiculite Lining, Thermostatic control
YM189-216	Balanced Flue. Natural Gas, Brick Effect Lining, Thermostatic control
YM189-451	Balanced Flue. LPG, Brick Effect Lining, Thermostatic control

Accessories

934-049	CL 530 Conventional Flue, Black Reeded Lining Set
934-067	CL 530 Conventional Flue, Vermiculite Lining Set
934-056	CL 530 Conventional Flue, Brick Effect Lining Set
934-070	CL 530 Balanced Flue, Black Reeded Lining Set
934-088	CL 530 Balanced Flue, Vermiculite Lining Set
934-074	CL 530 Balanced Flue, Brick Effect Lining Set
8572	Warm Air Ducting Kit (2 Outlets)
8736	Linerless Kit for CL 530
999-530	Thermostatic System Mains Adaptor




All dimensions above in mm

CL 670 INSET - conventional & balanced flue - Thermostatic remote control

YM189-385	Conventional Flue. Natural Gas, Black Reeded Lining, Thermostatic control
YM189-694	Conventional Flue. LPG, Black Reeded Lining, Thermostatic control
YM189-320	Conventional Flue. Natural Gas, Vermiculite Lining, Thermostatic control
YM189-522	Conventional Flue. LPG, Vermiculite Lining, Thermostatic control
YM189-346	Conventional Flue. Natural Gas, Brick Effect Lining, Thermostatic control
YM189-611	Conventional Flue. LPG, Brick Effect Lining, Thermostatic control
YM189-393	Balanced Flue. Natural Gas, Black Reeded Lining, Thermostatic control
YM189-717	Balanced Flue. LPG, Black Reeded Lining, Thermostatic control
YM189-331	Balanced Flue. Natural Gas, Vermiculite Lining, Thermostatic control
YM189-587	Balanced Flue. LPG, Vermiculite Lining, Thermostatic control
YM189-372	Balanced Flue. Natural Gas, Brick Effect Lining, Thermostatic control
YM189-625	Balanced Flue. LPG, Brick Effect Lining, Thermostatic control

Accessories


934-096	CL 670 Conventional Flue, Black Reeded Lining Set
934-103	CL 670 Conventional Flue, Vermiculite Lining Set
934-119	CL 670 Conventional Flue, Brick Effect Lining Set
934-127	CL 670 Balanced Flue, Black Reeded Lining Set
934-111	CL 670 Balanced Flue, Vermiculite Lining Set
934-137	CL 670 Balanced Flue, Brick Effect Lining Set
8572	Warm Air Ducting Kit (2 Outlets)
8736	Linerless Kit for CL 670
999-530	Thermostatic System Mains Adaptor



All dimensions above in mm

DARTMOUTH INSET - conventional and balanced flue - Gas - Manual or Remote control

YM-N9875	Conventional Flue. Natural gas, flat top, coals. Manual control
YM-P9875	Conventional Flue. LPG, flat top, coals. Manual control
YM-N9885	Balanced Flue. Natural gas, flat top, coals. Manual control (inc. rear exit bal.flue terminal & guard)
YM-P9885	Balanced Flue. LPG, flat top, coals. Manual control (inc. rear exit bal.flue terminal & guard)
YM-189-165	Conventional Flue. Natural gas, flat top, coals. Remote control
YM-189-442	Conventional Flue. LPG, flat top, coals. Remote control
YM-189-191	Balanced Flue. Natural gas, flat top, coals. Remote control (inc. rear exit bal.flue terminal & guard)
YM-189-486	Balanced Flue. LPG, flat top, coals. Remote control (inc. rear exit bal.flue terminal & guard)



Approx. Weight: 42 Kg

The above information is to assist in your choice of a suitable Yeoman stove. This is not intended to be all the information required to install your stove. This can be obtained from your local Yeoman retailer or you can download the full installation instructions from the Yeoman website www.yeomanstoves.co.uk

Technical Information


TRADITIONAL GAS STOVES

DARTMOOR - Conventional flue gas, manual or remote control

YM-N5101CFLUC	Natural gas, flat top, logs, single door
YM-N5102CFLUC	Natural gas, flat top, logs, double doors
YM-P5101CFLUC	LPG, flat top, logs, single door
YM-P5102CFLUC	LPG, flat top, logs, double doors
YM-N5101CFLUCHC	Natural gas, high canopy, logs, single door
YM-N5102CFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5101CFLUCHC	LPG, high canopy, logs, single door
YM-P5102CFLUCHC	LPG, high canopy, logs, double doors

Options

8549	Decorative flue collar for top exit
YM-A9904	Brass handle (single door only)
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 71 - 81Kg

DARTMOOR - Balanced flue gas, manual or remote control

YM-N5201BFLUC	Natural gas, flat top, logs, single door
YM-P5201BFLUC	LPG, flat top, logs, single door
YM-N5201BFLUCHC	Natural gas, high canopy, logs, single door
YM-P5201BFLUCHC	LPG, high canopy, logs, single door
YM-N5202BFLUC	Natural gas, flat top, logs, double doors
YM-P5202BFLUC	LPG, flat top, logs, double doors
YM-N5202BFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5202BFLUCHC	LPG, high canopy, logs, double doors

Options

8548	Decorative flue collar for top exit
YM-A9904	Brass handle (single door only)
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 71 - 81Kg

DARTMOOR - Conventional flue gas, manual or remote control

YM-N5101CFLUC	Natural gas, flat top, logs, single door
YM-N5102CFLUC	Natural gas, flat top, logs, double doors
YM-P5101CFLUC	LPG, flat top, logs, single door
YM-P5102CFLUC	LPG, flat top, logs, double doors
YM-N5101CFLUCHC	Natural gas, high canopy, logs, single door
YM-N5102CFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5101CFLUCHC	LPG, high canopy, logs, single door
YM-P5102CFLUCHC	LPG, high canopy, logs, double doors

Options

8549	Decorative flue collar for top exit
YM-A9904	Brass handle (single door only)
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 71 - 81Kg

DARTMOOR - Balanced flue gas, manual or remote control

YM-N5201BFLUC	Natural gas, flat top, logs, single door
YM-P5201BFLUC	LPG, flat top, logs, single door
YM-N5201BFLUCHC	Natural gas, high canopy, logs, single door
YM-P5201BFLUCHC	LPG, high canopy, logs, single door
YM-N5202BFLUC	Natural gas, flat top, logs, double doors
YM-P5202BFLUC	LPG, flat top, logs, double doors
YM-N5202BFLUCHC	Natural gas, high canopy, logs, double doors
YM-P5202BFLUCHC	LPG, high canopy, logs, double doors

Options

8548	Decorative flue collar for top exit
YM-A9904	Brass handle (single door only)
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 71 - 81Kg


The above information is to assist in your choice of a suitable Yeoman stove. This is not intended to be all the information required to install your stove. This can be obtained from your local Yeoman retailer or you can download the full installation instructions from the Yeoman website www.yeomanstoves.co.uk

Technical Information

TRADITIONAL GAS STOVES (CONTINUED)

DEVON - Balanced flue, manual or remote control


YM-G9202	Natural gas, flat top, coals, double doors*
YM-G9202HC	Natural gas, high canopy, coals, double doors*
YM-P9202	LPG, flat top, coals, double doors*
YM-P9202HC	LPG, high canopy, coals, double doors*
Options	
8548	Decorative flue collar for top exit
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code
	*Please specify top or rear flue exit



Approx. Weight: 62 - 82Kg

EXMINSTER - Conventional flue, manual or remote control

YM-G9701FL	Natural gas, flat top, coals, single door
YM-G9702FL	Natural gas, flat top, coals, double doors
YM-G9701LC	Natural gas, low canopy, coals, single door
YM-G9702LC	Natural gas, low canopy, coals, double doors
YM-G9701HC	Natural gas, high canopy, coals, single door
YM-G9702HC	Natural gas, high canopy, coals, double doors
YM-P9701FL	LPG, flat top, coals, single door
YM-P9702FL	LPG, flat top, coals, double doors
YM-P9701LC	LPG, low canopy, coals, single door
YM-P9702LC	LPG, low canopy, coals, double doors
YM-P9701HC	LPG, high canopy, coals, single door
YM-P9702HC	LPG, high canopy, coals, double doors
YM-G9701LGFL	Natural gas, flat top, logs, single door
YM-G9702LGFL	Natural gas, flat top, logs, double doors
YM-G9701LGLC	Natural gas, low canopy, logs, single door
YM-G9702LGLC	Natural gas, low canopy, logs, double doors
YM-G9701LGHC	Natural gas, high canopy, logs, single door
YM-G9702LGHC	Natural gas, high canopy, logs, double doors
YM-P9701LGFL	LPG, flat top, logs, single door
YM-P9702LGFL	LPG, flat top, logs, double doors
YM-P9701LGLC	LPG, low canopy, logs, single door
YM-P9702LGLC	LPG, low canopy, logs, double doors
YM-P9701LGHC	LPG, high canopy, logs, single door
YM-P9702LGHC	LPG, high canopy, logs, double doors




Approx. Weight: 42 - 60Kg

Options	
8549	Decorative flue collar for top exit
YM-A9904	Brass handle
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code

EXE - Conventional & Balanced flue gas, manual or remote control

YM581-363	CF, Natural gas, flat top, logs, single door
YM581-282	CF, Natural gas, low canopy, logs, single door
YM581-581	CF, LPG, flat top, logs, single door
YM581-677	CF, LPG, low canopy, logs, single door
YM581-390	BF, Natural gas, flat top, logs, single door
YM581-191	BF, Natural gas, low canopy, logs, single door
YM581-637	BF, LPG, flat top, logs, single door
YM581-729	BF, LPG, low canopy, logs, single door
Options	
8548	Decorative flue collar for top exit (balanced flue)
8549	Decorative flue collar for top exit (conventional flue)
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, ad BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Balanced flue: rear exit only
Approx. Weight: 61Kg

Technical Information

TRADITIONAL GAS STOVES (CONTINUED)

EXMOOR - Conventional flue gas, manual or remote control


YM581-239	Natural gas, flat top, logs, single door
YM581-298	Natural gas, low canopy, logs, single door
YM581-402	LPG, flat top, logs, single door
YM581-447	LPG, low canopy, logs, single door
Options	
8549	Decorative flue collar for top exit
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code



Approx. Weight: 47Kg

EXMOOR - Balanced flue gas, manual or remote control

YM581-268	Natural gas, flat top, logs, single door
YM581-302	Natural gas, low canopy, logs, single door
YM581-424	LPG, flat top, logs, single door
YM581-550	LPG, low canopy, logs, single door
Options	
8548	Decorative flue collar for top exit
YM-A9904	Brass handle
8455	Standard remote control
8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




Approx. Weight: 47Kg

Rear exit only

DOUBLE-SIDED GAS STOVES

DEVON - Double-Sided, single depth, conventional flue - Gas - Manual or remote control

YM-G9211LGHC	Natural gas, high canopy, logs, single door
YM-G9212LGHC	Natural gas, high canopy, logs, double doors
YM-P9211LGHC	LPG, high canopy, logs, single door
YM-P9212LGHC	LPG, high canopy, logs, double doors
Options	
YM-A9904	Brass handle (each)
YM-A8455	Standard remote control
YM-A8456	Programmable remote control
BL/BR/GR	Coloured paint supplement, add BL (Metallic Blue), BR (Metallic Brown) or GR (Metallic Green) suffix to stove code




SIDE ELEVATION

FRONT ELEVATION

CL GAS STOVES

CL3 - Conventional and Balanced flue, with thermostatic remote control

YM-581-272	Conventional Flue, Natural gas, logs, top exit
YM-581-305	Conventional Flue, Natural gas, logs, rear exit
YM-581-527	Conventional Flue, LPG, logs, top exit
YM-581-632	Conventional Flue, LPG, logs, rear exit
YM-581-197	Balanced Flue, Natural gas, logs, rear exit
YM-581-628	Balanced Flue, LPG, logs, rear exit
Accessory	
999-530	Thermostatic System Mains Adaptor



* No top exit on CL3 Balanced Flue


Approx. Weight: 40 - 42Kg

Technical Information

CL GAS STOVES (CONTINUED)

CL5 - Conventional and Balanced flue, with thermostatic remote control


YM-581-341	Conventional Flue, Natural gas, logs, top exit
YM-581-230	Conventional Flue, Natural gas, logs, rear exit
YM-581-740	Conventional Flue, LPG, logs, top exit
YM-581-573	Conventional Flue, LPG, logs, rear exit
YM-581-396	Balanced Flue, Natural gas, logs, top exit
YM-581-209	Balanced Flue, Natural gas, logs, rear exit
YM-581-807	Balanced Flue, LPG, logs, top exit
YM-581-850	Balanced Flue, LPG, logs, rear exit
Accessory	
999-530	Thermostatic System Mains Adaptor



CL8 - Conventional and Balanced flue, with thermostatic remote control

Approx. Weight: 47Kg


YM-581-242	Conventional Flue, Natural gas, logs, top exit
YM-581-218	Conventional Flue, Natural gas, logs, rear exit
YM-581-489	Conventional Flue, LPG, logs, top exit
YM-581-455	Conventional Flue, LPG, logs, rear exit
YM-581-346	Balanced Flue, Natural gas, logs, top exit
YM-581-380	Balanced Flue, Natural gas, logs, rear exit
YM-581-607	Balanced Flue, LPG, logs, top exit
YM-581-533	Balanced Flue, LPG, logs, rear exit
Accessory	
999-530	Thermostatic System Mains Adaptor



Approx. Weight: 50Kg (CF) / 60kg (BF)

TRADITIONAL ELECTRIC STOVES


EXMOOR ELECTRIC STOVE



Exmoor -
Approx. Weight: 47Kg

YM-E9001FL	Exmoor - flat top
Options	
YM-A9904	Brass handle

DARTMOOR ELECTRIC STOVE




Dartmoor -
Approx. Weight: 75Kg

YM-E5201FL	Dartmoor 1 Door - flat top
YM-E5202FL	Dartmoor 2 Door - flat top
Options	
YM-A9904	Brass handle (single door only)

CL ELECTRIC STOVES


CL3 ELECTRIC STOVE



CL3 - Approx.
Weight: 40Kg

YM-681-021	CL3 Electric Stove
------------	--------------------

CL5 ELECTRIC STOVE



CL5 - Approx.
Weight: 47Kg

YM-681-048	CL5 Electric Stove
------------	--------------------

The above information is to assist in your choice of a suitable Yeoman stove. This is not intended to be all the information required to install your stove. This can be obtained from your local Yeoman retailer or you can download the full installation instructions from the Yeoman website www.yeomanstoves.co.uk

Further Information

Product Improvement, Photography & Safety Information

Yeoman pursue a policy of constant product improvement. Products supplied may therefore differ in specification from those illustrated or described in this brochure, and you should always check the final specification with your Yeoman retailer. All fire & flame photography has been taken from genuine products; however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features & the way in which the appliance is operated.

Please note: The operation & appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.

Installing Your Yeoman Stove

A Gas Safe Register (UK) or Bord Gais (Republic of Ireland) approved installer should undertake a site survey prior to purchase and must install your Yeoman Stove for you. Your Yeoman retailer will be able to offer advice on this. You may also view or download installation instructions at our website – www.yeomanstoves.co.uk.

The following diagrams cover some of the basic requirements. All fires and stoves consume air as they burn. To comply with UK Building Regulations (Document J), therefore, if you are purchasing a stove with a maximum heat output in excess of 5.0kW, you will need to install a fixed air vent to ensure adequate ventilation. Outputs below this will not normally require a vent.

Extended Warranty


Your Yeoman Expert Retailer will provide you with a Five Year Extended Warranty for your new gas stove or fire and a Two Year Extended Warranty for your new electric stove, provided your stove or fire is registered with Yeoman. Please note, these warranties exclude certain consumable parts and are dependant on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Stoves and fires purchased outside of Yeoman's Expert Retailer Network will carry a standard 1 Year Warranty. Full warranty terms & conditions are available to view at www.yeomanstoves.co.uk.



Balanced Flue Gas Stove Systems

The Yeoman Balanced Flue system means having no chimney is not a problem if you opt for either an Exmoor, Exe, Devon, Dartmoor, CL 530, CL 670, Dartmouth Inset or CL gas stove, as it draws combustion air from outside through its concentric pipe system. A full range of optional flue components is available to suit the configurations shown to the right.

Please note that these are diagrammatic representations only and vary according to model. Full installation information can be downloaded from www.yeomanstoves.co.uk.



Yeoman's sister company, Gazco, have specifically developed a range of flue system components to complement your balanced flue Yeoman gas stove. Crafted from 304 grade stainless steel and aluminium with some items additionally offered in anthracite paint finish. Designed with ease of installation and flexibility in mind, these flue systems simply push together without the requirement for locking bands or screws. Both the inner and outer pipes are secured with easy fit, self locking, high temperature silicone seals. For further information, please speak to your retailer or visit www.gazco.com.



Yeoman CL5 Highline

Yeoman Woodburning and Multi-fuel Stoves and Fires

Relax in the irresistible ambience that a real woodburning stove creates! Yeoman also offer a number of the stoves in this brochure as woodburning and multi-fuel models. Expertly crafted designs from contemporary to traditional, to suit a wide range of interior styles. Synonymous with quality and efficiency these extraordinary stoves will really make a statement that friends and family will instantly warm to.

Furthermore, it is possible to achieve complete home heating with a Yeoman boiler stove. There are five boiler models in the Yeoman range which not only heat the room they are in but can supply hot water to up to 19 radiators throughout the rest of the house.

For more information please speak to your local Yeoman retailer, alternatively you can view and download the brochure online at www.yeomanstoves.co.uk.



Yeoman Exe



Exe Gas Stove

Yeoman

A NATURAL WARMTH

Osprey Road, Sowton Industrial Estate, Exeter, Devon EX2 7JG

Gas and Electric Trade Sales

Tel: 01392 261900

Fax: 01392 444148

Solid Fuel Trade Sales

Tel: 01392 474500

Fax: 01392 219932

e-mail: yeoman@gazco.com

www.yeomanstoves.co.uk

To visit the Yeoman website
please scan this code with
your mobile device.



Your local Yeoman retailer

£2.00



All fire & flame photography has been taken from genuine products; however, the exact appearance of the flame picture for any appliance will vary depending on the nature of the flue type, installation surroundings, local geographical features & the way in which the appliance is operated. Please note: The operation & appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Yeoman Stoves gratefully acknowledge the assistance of the following companies with photographic settings:

Furnishings and Ornaments: - **Eclectique** - www.eclectique.co.uk; **Furniture Village** - www.furniturevillage.co.uk; **Fagins Antiques** - www.faginsantiques.com;
Laura Ashley - www.lauraashley.com; **Orange Tree** - www.theorangetree.co.uk; **Debenhams** - www.debenhams.co.uk; **House Of Fraser** - www.houseoffraser.co.uk;
The Cook Shop - www.justaddfood.co.uk; Wood Flooring: - **Beach Bros Ltd** - www.beachbros.co.uk; Stone Flooring and Wall Tiles: - **Original Style** - www.originalstyle.com;
Stone Mantels: - **Farmington** - www.farmington.co.uk; Conservatories: - **Apple Conservatories** - www.appleconservatories.com; **Puffing Billy Restaurant** - www.thepuffingbilly.co.uk

Paper sourced from sustainable forests and printed using vegetable based inks